

END OF SEARCH HISTORY

WEST Search History

DATE: Friday, August 23, 2002

Set Name side by side	Query	Hit Count	Set Name result set
DB=US	PT; PLUR=YES; OP=ADJ		
L12	relative maturity adj5 77	1	L12
L11	7 adj5 gibberella	22	L11
L10	gibberella adj5 7	0	L10
L9	L8 and 16 and 14 and 12	8	L9
L8	L7 and (maize or corn)	230	L8
L7	cob color adj5 red	230	L7
L6	L5 and (maize or corn)	122	L6
L5	glume color adj5 light green	122	L5
L4	L3 and (maize or corn)	84	L4
L3	anther color adj5 pink	86	L3
L2	L1 and (maize or corn)	42	L2
L1	silk color adj5 light green	42	L1

END OF SEARCH HISTORY

Welcome to STN International! Enter x:x LOGINID:ssspta1649axm PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2 * * * * * * * * Welcome to STN International NEWS Web Page URLs for STN Seminar Schedule - N. America NEWS Apr 08 "Ask CAS" for self-help around the clock NEWS Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area NEWS 4 Apr 09 ZDB will be removed from STN NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available NEWS 9 Jun 03 New e-mail delivery for search results now available NEWS 10 Jun 10 MEDLINE Reload PCTFULL has been reloaded NEWS 11 Jun 10 NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment NEWS 13 Jul 22 USAN to be reloaded July 28, 2002; saved answer sets no longer valid NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY Jul 30 NETFIRST to be removed from STN NEWS 15 NEWS 16 Aug 08 CANCERLIT reload PHARMAMarketLetter(PHARMAML) - new on STN NEWS 17 Aug 08 NEWS 18 Aug 08 NTIS has been reloaded and enhanced NEWS 19 Aug 09 JAPIO to be reloaded August 25, 2002 NEWS 20 Aquatic Toxicity Information Retrieval (AQUIRE) Aug 19 now available on STN IFIPAT, IFICDB, and IFIUDB have been reloaded NEWS 21 Aug 19 NEWS 22 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded February 1 CURRENT WINDOWS VERSION IS V6.0d, NEWS EXPRESS CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 05 FEBRUARY 2002 STN Operating Hours Plus Help Desk Availability NEWS HOURS NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Access to STN NEWS WWW CAS World Wide Web Site (general information) Enter NEWS followed by the item number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * STN Columbus * * * * * *

=> file agricola biosis COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FILE 'AGRICOLA' ENTERED AT 13:53:27 ON 23 AUG 2002

FILE 'BIOSIS' ENTERED AT 13:53:27 ON 23 AUG 2002 COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC.(R)

=> s silk color adj5 light green L1 0 SILK COLOR ADJ5 LIGHT GREEN

=> s silk color (10w) light green L2 0 SILK COLOR (10W) LIGHT GREEN

=> s anther color (10w) pink L3 0 ANTHER COLOR (10W) PINK

=> s glume color (10w) light green L4 0 GLUME COLOR (10W) LIGHT GREEN

=> s cob color (10w) red L5 0 COB COLOR (10W) RED

=> s gibberella and (corn or maize)
L8 678 GIBBERELLA AND (CORN OR MAIZE)

=> s 19 and corn borer L10 9 L9 AND CORN BORER

=> d 1-9 ti

L10 ANSWER 1 OF 9 AGRICOLA

TI Verification and pre-commercial testing of European corn borer and Gibberella ear rot resistant varieties.

L10 ANSWER 2 OF 9 AGRICOLA

TI Laboratory and field resistance to the European corn borer in maize germplasm.

L10 ANSWER 3 OF 9 AGRICOLA

TI Resistance of maize to European corn borer (Ostrinia nubilalis) and to stalk rot caused by Gibberella zeae

Resistance du mais a la pyrale (Ostrinia nubilalis Hubner) et a la verse parasitaire causee par Gibberella zeae (Schw.) Petch

L10 ANSWER 4 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

TI LABORATORY AND FIELD RESISTANCE TO THE EUROPEAN CORN BORER IN MAIZE GERMPLASM.

L10 ANSWER 5 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.

- TI RESISTANCE OF MAIZE GERM PLASM TO EUROPEAN
 CORN BORER OSTRINIA-NUBILALIS AS RELATED TO GEOGRAPHICAL
 ORIGIN.
- L10 ANSWER 6 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI RESISTANCE OF MAIZE GERMPLASM TO THE EUROPEAN
 CORN BORER OSTRINIA-NUBILALIS AS RELATED TO GEOGRAPHICAL
 ORIGIN.
- L10 ANSWER 7 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI TAXONOMY OF MEXICAN LANDRACES OF MAIZE ZEA-MAYS BASED ON THEIR RESISTANCE TO EUROPEAN CORN BORER OSTRINIA-NUBILALIS.
- L10 ANSWER 8 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI LODGING ENHANCING TECHNIQUES FOR USE ON CORN ZEA-MAYS PERFORMANCE TRIALS IN SHORT SEASON AREAS.
- L10 ANSWER 9 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- TI RESISTANCE OF CORN TO THE EUROPEAN CORN
 BORER OSTRINIA-NUBILALIS AND TO STALK ROT CAUSED BY
 GIBBERELLA-ZEAE.
- => d so
- L10 ANSWER 1 OF 9 AGRICOLA
- SO [Insect resistant maize : recent advances and utilization : proceedings of an international symposium held at the International Maize and Wheat Improvement Center (CIMMYT), 27 November-3 December, 1994], p. 255-260 Publisher: Mexico City : CIMMYT, 1997. ISBN: 9686923799.
- => d 2 ab
- L10 ANSWER 2 OF 9 AGRICOLA
- ΔR There is a continuing need to screen maize (Zea mays L.) germplasm for sources of resistance to the European corn borer, Ostrinia nubilalis (Hubner). This study was conducted to determine the resistance characteristics to a univoltine strain of the European corn borer of six groups of maize germplasm and to examine the relationship among resistance characteristics. The groups of germplasm consisted of (i) a latitudinal series of inbred lines; (ii) a set of the indigenous landraces of Mexico; (iii) two Argentine landraces; (iv) three Canadian synthetic populations; (v) three international Maize and Wheat Improvement Center (CIMMYT) maize pools; and (vi) two inbred lines used as controls. In addition, a multiple borer resistance population was studied. All germplasm was evaluated for seedling DIMBOA [2,4-dihydroxy-7-methoxy(2H)-1,4-benzoxazin-3(4H)-one] content, susceptibility to leaf-feeding (both laboratory and field) and to stalk tunneling by the European corn borer, susceptibility to Gibberella zeae (Schwein.) Petch (stalk rot) and Ustilago zeae (Beckm.) Unger (corn smut), and their ability to mature in the climatic conditions prevailing at Ottawa, ON. The inbred lines were characterized by high resistance to leaf feeding, but susceptibility to stalk tunneling, whereas the indigenous Mexican landraces were susceptible to leaf feeding. Many significant correlations were found among the various parameters, including validation of the relation of seedling DIMBOA levels and laboratory leaf-feeding tests with the field resistance to European corn borer. This study confirms the importance of examining broad groups of germplasm when searching for sources of resistance to the European

corn borer.

=> d 1-9 so

- L10 ANSWER 1 OF 9 AGRICOLA
- [Insect resistant maize : recent advances and utilization : proceedings of an international symposium held at the International Maize and Wheat Improvement Center (CIMMYT), 27 November-3 December, 1994], p. 255-260 Publisher: Mexico City : CIMMYT, 1997.

 ISBN: 9686923799.
- L10 ANSWER 2 OF 9 AGRICOLA
- SO Crop science, Nov/Dec 1991. Vol. 31, No. 6. p. 1496-1502 Publisher: Madison, Wis. : Crop Science Society of America. CODEN: CRPSAY; ISSN: 0011-183X
- L10 ANSWER 3 OF 9 AGRICOLA
- SO Phytoprotection, Feb 1977 Vol. 58, No. 1, pp. 5-17. Ref. Eng. Sum.
- L10 ANSWER 4 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO CROP SCI, (1991) 31 (6), 1496-1502. CODEN: CRPSAY. ISSN: 0011-183X.
- L10 ANSWER 5 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO CAN J BOT, (1990) 68 (2), 311-316. CODEN: CJBOAW. ISSN: 0008-4026.
- L10 ANSWER 6 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO CANADIAN SOCIETY OF AGRONOMY MEETINGS HELD IN CONJUNCTION WITH THE 1989
 AGRICULTURAL INSTITUTE OF CANADA CONFERENCE, MONTREAL, QUEBEC, CANADA. CAN
 J PLANT SCI. (1990) 70 (1), 323.
 CODEN: CPLSAY. ISSN: 0008-4220.
- L10 ANSWER 7 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO EUPHYTICA, (1990) 46 (2), 119-132. CODEN: EUPHAA. ISSN: 0014-2336.
- L10 ANSWER 8 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO CAN J PLANT SCI, (1982) 62 (2), 299-304. CODEN: CPLSAY. ISSN: 0008-4220.
- L10 ANSWER 9 OF 9 BIOSIS COPYRIGHT 2002 BIOLOGICAL ABSTRACTS INC.
- SO PHYTOPROTECTION, (1977) 58 (1), 5-17. CODEN: PYTPAX. ISSN: 0031-9511.
- => s 18 and head smut
- L11 0 L8 AND HEAD SMUT
- => s 18 and test weight
- L12 1 L8 AND TEST WEIGHT
- => d ti
- L12 ANSWER 1 OF 1 AGRICOLA
- TI Maturity of seed **corn** in relation to yielding ability and disease infection.
- => d so
- L12 ANSWER 1 OF 1 AGRICOLA
- SO Journal of the American Society of Agronomy, Apr 1934. Vol. 26, No. 4. p.

Publisher: Madison, Wis. : American Society of Agronomy. CODEN: AGJOAT; ISSN: 0002-1962